

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

EXHIBIT B

EXHIBIT B
Attorney Docket No. 9632-314
Clean Copy of the Claims as Will Be Pending
Following Entry of Amendment of September 30, 2002

10. (Amended) An isolated nucleic acid comprising SEQ ID NO:13, SEQ ID NO:14, and SEQ ID NO:15, which isolated nucleic acid encodes a protein that binds to CD40.

11. (Amended) An isolated nucleic acid comprising a nucleotide sequence encoding a protein comprising SEQ ID NO:8, SEQ ID NO:9, and SEQ ID NO:10, which protein binds to CD40.

12. The isolated nucleic acid of claim 11 comprising a nucleotide sequence encoding a protein comprising (a) a heavy chain variable domain of monoclonal antibody S2C6 as secreted by the hybridoma deposited with the ATCC and assigned accession number PTA-110, and (b) a human constant region.

13. (Amended) An isolated nucleic acid comprising a nucleotide sequence encoding a protein comprising an amino acid sequence that has at least 95% identity to SEQ ID NO:7 as determined by use of the BLASTp computer program, which protein binds to CD40.

14. (Amended) An isolated nucleic acid comprising a nucleotide sequence encoding a protein, which protein competes for binding to CD40 with monoclonal antibody S2C6 as secreted by the hybridoma deposited with the ATCC and assigned accession number PTA-110, and which protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 45%.

15. An isolated nucleic acid comprising a nucleotide sequence encoding a fusion protein, said fusion protein comprising an amino acid sequence of bryodin 1 (BD1) fused to SEQ ID NO:7 fused to SEQ ID NO:2.

16. (Amended) An isolated nucleic acid which hybridizes to the complement of a DNA consisting of a coding DNA sequence encoding a protein consisting of [an] the amino acid sequence of SEQ ID NO:7, under highly stringent conditions, which isolated nucleic acid encodes a protein that binds CD40.

17. (Amended) A recombinant cell containing a recombinant nucleic acid comprising a nucleotide sequence encoding a protein, which protein competes for binding to CD40 with monoclonal antibody S2C6 as secreted by the hybridoma deposited with the ATCC and assigned accession number PTA-110, and which protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 45%.

18. (Amended) A recombinant cell containing a recombinant nucleic acid comprising SEQ ID NO:13, SEQ ID NO:14, and SEQ ID NO:15.

19. (Amended) A method of producing a protein comprising:

(a) growing a cell containing a recombinant nucleic acid encoding a protein, which protein competes for binding to CD40 with monoclonal antibody S2C6 as deposited with the ATCC and assigned accession number PTA-110, and which protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 45%, such that the protein is expressed by the cell; and

(b) recovering the expressed protein.

20. (Amended) A method of producing a protein comprising:

(a) growing a cell containing a recombinant nucleic acid encoding a protein comprising SEQ ID NO:8, SEQ ID NO:9, and SEQ ID NO:10, such that a protein encoded by said nucleotide sequence is expressed by the cell; and

(b) recovering the expressed protein.

38. (New) An isolated nucleic acid comprising a nucleotide sequence encoding a protein comprising SEQ ID NO:8, SEQ ID NO:9, and SEQ ID NO:10, which protein (a) binds CD40, and (b) is a fusion protein comprising the amino acid sequence of a second protein that is not an antibody.

39. (New) An isolated nucleic acid comprising a nucleotide sequence encoding a protein comprising an amino acid sequence that has at least 95% identity to SEQ ID NO:7 as determined by use of the BLASTp computer program, which protein (a) binds CD40; and (b) comprises a human immunoglobulin constant domain.

40. (New) An isolated nucleic acid comprising a nucleotide sequence encoding a protein comprising an amino acid sequence that comprises regions having at least 80% identity to SEQ ID NO:8, SEQ ID NO:9 and SEQ ID NO:10, respectively, as determined by use of the BLASTp computer program, which protein (a) binds CD40; and (b) comprises a human immunoglobulin constant domain.

41. (New) The isolated nucleic acid of claim 40, wherein the protein comprises at least 2 CDR sequences selected from the group consisting of SEQ ID NO:8, SEQ ID NO:9 and SEQ ID NO 10.

42. (New) An isolated nucleic acid comprising a nucleotide sequence encoding a protein that (a) binds to CD40; (b) increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 45%; and (c) comprises a human immunoglobulin constant domain.

43. (New) An isolated nucleic acid comprising a nucleotide sequence encoding a protein which (a) competes for binding to CD40 with monoclonal antibody S2C6 as secreted by the hybridoma deposited with the ATCC and assigned accession number PTA-110; (b) comprises at least 2 CDR sequences selected from the group consisting of SEQ ID NO:8, SEQ ID NO:9 and SEQ ID NO 10; and (c) comprises a human immunoglobulin constant domain.

44. (New) The isolated nucleic acid of claim 43, wherein the protein comprises SEQ ID NO:8 and SEQ ID NO:10.

45. (New) The isolated nucleic acid of claim 38, wherein the protein comprises an amino acid sequence of bryodin (BD1) fused to SEQ ID NO:7 fused to SEQ ID NO:2.

46. (New) The isolated nucleic acid of any of claims 38-45, wherein the protein is an antibody.

47. (New) The isolated nucleic acid of claim 46, wherein the antibody is a chimeric antibody.

48. (New) The isolated nucleic acid of claim 46, wherein the antibody is a humanized antibody.

49. (New) The isolated nucleic acid of claim 46, wherein the antibody is a human antibody.

50. (New) The isolated nucleic acid of claim 38, wherein the protein comprises SEQ ID NO:7.

51. (New) The isolated nucleic acid of claim 38 or 50, wherein the protein further comprises SEQ ID NO:2.

52. (New) The isolated nucleic acid of claim 14 or 42, wherein the protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 50%.

53. (New) The isolated nucleic acid of claim 14 or 42, wherein the protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 60%.

54. (New) The isolated nucleic acid of claim 14 or 42, wherein the protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 65%.

55. (New) The isolated nucleic acid of claim 10, 11, 13, 16, 38, 39, 40 or 43, wherein the protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 45%.

56. (New) The isolated nucleic acid of claim 10, 11, 13, 16, 38, 39, 40 or 43, wherein the protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 50%.

57. (New) The isolated nucleic acid of claim 10, 11, 13, 16, 38, 39, 40 or 43, wherein the protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 60%.

58. (New) The isolated nucleic acid of claim 10, 11, 13, 16, 38, 39, 40 or 43, wherein the protein increases the binding of CD40 ligand to cell surface CD40 on B cells by at least 65%.

59. (New) The isolated nucleic acid of claim 10 which comprises SEQ ID NO:6.

60. (New) The isolated nucleic acid of claim 11, wherein the protein comprises SEQ ID NO:7.

61. (New) The recombinant cell of claim 18, wherein the recombinant nucleic acid comprises SEQ ID NO:6.

62. (New) The method of claim 20, wherein the recombinant nucleic acid encodes SEQ ID NO:7.